




Parker Legris: Our Connection Solutions for Coffee Machines Up to +150°C



KTW

W270

WRAS
APPROVED
PRODUCT



REACH ✓



ENGINEERING YOUR SUCCESS.


Our Dedicated Connection Solutions for Coffee Machines

- Free from **Endocrine Disruptors**
- Phtalate Free
- Compact** Design for **Space Saving**
- Easy** Push-In Connection
- Assembly Time Saving**
- Bio-Sourced Polymer
- High Temperatures
- Extensive Range of Food **Certifications**
- 100% Leak Tested
- Date Coding for Assembly

Our Solutions

Performance up to **+130°C**


- Up to 10 bar working pressure at +130°C
- Diameters 4 mm, 6 mm and 8 mm
- Conform to FDA, NSF, KTW-W270, WRAS, TIFQ and ACS*
- Components and materials in contact with fluids:
 - Polyamide 11 body (bio sourced)
 - EPDM Seal
 - 316L Stainless Steel Adaptor



Our Solutions

Performance up to **+150°C**

- Up to 10 bar working pressure at +150°C
- Diameters 4 mm and 6 mm
- Conform to FDA*
- Components and materials in contact with fluids:
 - FKM Seal
 - Male Straight Fitting in Stainless Steel (316L)



* Parker can offer various Food And Beverages certifications depending on the country, fluid type and temperature of use. Please contact us for more information on webcontact@parker.com.

Our Fluoropolymer Tubing Solutions



PFA and FEP

Our Standard Solutions

Performance up to **+95°C**

- Up to 16 bar operating pressure
- Diameters from 4 mm to 12 mm
- Conform to FDA, NSF, KTW-W270, WRAS, TIFQ and ACS*
- Plastic thread
- Components and materials in contact with fluids:
 - Polyamide 11 body (bio sourced)
 - EPDM Seal



LIQUIfit® Tube-to-Tube Push-In Fittings

Our Tubing and Valve Solutions



Advanced PE Tubing
PU Tubing for lower temperatures



LIQUIfit® Non-Return Valve



LIQUIfit® Ball Valves



Low Pressure Connectors Europe
Parker Hannifin Manufacturing France SAS
Parker Hannifin Corporation
1 rue André et Yvonne Meynier
Parc Alcyone Bât D
35069 Rennes
Tel: +33 (0)2 99 25 55 00
www.parkerlegris.com
www.parker.com

ENGINEERING YOUR SUCCESS.