



HPRV Proportional Relief Valve

aerospace
climate control
electromechanical
filtration
fluid & gas handling
hydraulics
pneumatics
process control
sealing & shielding



ENGINEERING YOUR SUCCESS.

Together, we are Innovators

An innovative PED-certified pressure relief valve: one valve providing a universal solution for all common instrumentation applications.

HPRV is a versatile relief valve delivering accurate and consistent cracking and resealing performance, and suitable for all pressures between 150-6000 psi (10.3-414 bar). For PED applications, valves are supplied pre-set and laser marked for specific operating pressures.

The Smarter solution

One valve:

The valve has been designed with a single seat size that works for all common instrumentation system pressures, meaning you only need to order one part number.

Versatility:

For PED applications, valves are supplied pre-set to the required cracking pressure (locked into position and protected with a tamper proof seal). However, field adjustment is very simple, and may be performed by PED approved personnel, or by any user in a non-PED application.

The valve will handle up to 8000 psi/552 bar pressures during relief. Cracking pressure accuracy is maintained to within 3% of setting.

O-ring seals adapt the valve for use with different types of media over temperatures from -57 to 204 degrees C (-70 to +400 degrees F).

Five choices are available: fluorocarbon rubber, nitrile rubber, ethylene propylene, neoprene rubber or highly fluorinated fluorocarbon rubber.

Increased accuracy:

A low friction stem seal design facilitates smooth operation, optimising the precision of cracking and resealing.

Universal capability:

The HPRV valve is available with 0.142 inch/3.6 mm flow ports. Colour-coded springs configure the valve for eight cracking pressure ranges of 150-375, 325-775, 725-1525, 1475-2275, 2225-3025, 2975-4025, 3975-5025 and 4975-6000 psi (10.3-25.9 to 343-414 bar).

Fine adjustment is achieved by means of an external nut, which is secured in position by Parker's unique Tru-Loc mechanism and a lock wire to eliminate accidental movement and guard against tampering.

Ideal for many packages including well head control panels.



Helping you to work Faster

Fit and forget:

For PED applications, HPRV relief valves are supplied pre-set to the required cracking pressure, which is clearly marked on the body.

This provides a simple 'fit and forget' solution for adding reliable safety, environmental and/or equipment protection to a wide variety of process and laboratory instrumentation applications, that needs no testing or calibration.

A Safer solution

Safer design:

The seat has been designed to be blow out and chip resistant.

The unique Tru-Loc locking system prevents accidental adjustment.

The balanced chamber design eliminates problems caused by varying back pressures, and the low friction design assures smooth 'snag free' operation.

As standard, the valve is provided with integral A-Lok compression tube ends, eliminating threaded connections and the potential problems associated with thread sealants such as PTFE tape.

Other end styles can also be specified to suit the installation, and include single-ferrule CPI end connectors for imperial and metric tube sizes, and male or female NPT threaded inlet outlet ports.


The valve's outlet port can be configured to duct media to a safe place, or release overpressures to atmosphere.

Quick delivery:

Parker can offer very fast (5 working day) delivery on the valve throughout Europe. This short lead time will help you to effectively plan your installation.

PED certified:

Parker's HPRV relief valve is Pressure Equipment Directive (PED) certified and CE marked as standard. Achieving the highest category IV PED rating, no further paperwork or approvals are required.



Sales Offices Worldwide

AE – United Arab Emirates,
Abu Dhabi
Tel: +971 2 67 88 587

AR – Argentina, Buenos Aires
Tel: +54 3327 44 4129

AT – Austria, Wiener Neustadt
Tel: +43 (0)2622 23501-0

AT – Austria, Wiener Neustadt
(Eastern Europe)
Tel: +43 (0)2622 23501 970

AU – Australia, Castle Hill
Tel: +61 (0)2-9634 7777

AZ – Azerbaijan, Baku
Tel: +994 50 2233 458

BE – Belgium, Nivelles
Tel: +32 (0)67 280 900

BR – Brazil, Jacareí - São Paulo
Tel: +55 12 3954 5100

BY – Belarus, Minsk
Tel: +375 17 209 9399

CA – Canada, Milton, Ontario
Tel: +1 905 693 3000

CH – Switzerland, Etoy
Tel: +41 (0)2182 10230

CN – China, Shanghai
Tel: +86 21 5031 2525

CN – China, Beijing
Tel: +86 10 6561 0520

CZ – Czech Republic, Klecany
Tel: +420 284 083 111

DE – Germany, Kaarst
Tel: +49 (0)2131 4016 0

DK – Denmark, Esbjerg
Tel: +45 49 12 17 00

ES – Spain, Madrid
Tel: +34 902 33 00 01

FI – Finland, Vantaa
Tel: +358 (0)20 753 2500

FR – France,
Contamine-sur-Arve
Tel: +33 (0)4 50 25 80 25

GR – Greece, Athens
Tel: +30 210 933 6450

HK – Hong Kong
Tel: +852 2428 8008

HU – Hungary, Budapest
Tel: +36 1 220 4155

IE – Ireland, Dublin
Tel: +353 (0)1 466 6370

IN – India, Mumbai
Tel: +91 22 6513 7081-85

IT – Italy, Corsico (MI)
Tel: +39 02 45 19 21

JP – Japan, Fujisawa
Tel: +(81) 4 6635 3050

KR – South Korea, Seoul
Tel: +82 2 559 0400

KZ – Kazakhstan, Almaty
Tel: +7 3272 505 800

LV – Latvia, Riga
Tel: +371 74 52601

MX – Mexico, Apodaca
Tel: +52 81 8156 6000

MY – Malaysia, Subang Jaya
Tel: +60 3 5638 1476

NL – The Netherlands,
Oldenzaal
Tel: +31 (0)541 585 000

NO – Norway, Stavanger
Tel: +47 (0)51 826 300

NZ – New Zealand, Mt Wellington
Tel: +64 9 574 1744

PL – Poland, Warsaw
Tel: +48 (0)22 573 24 00

PT – Portugal, Leca
da Palmeira
Tel: +351 22 999 7360

RO – Romania, Bucharest
Tel: +40 21 252 1382

RU – Russia, Moscow
Tel: +7 495 645-2156

SE – Sweden, Spånga
Tel: +46 (0)8 59 79 50 00

SG – Singapore
Tel: +65 6887 6300

SL – Slovenia, Novo Mesto
Tel: +386 7 337 6650

SK – Slovakia
See Czech Republic

TH – Thailand, Bangkok
Tel: +662 717 8140

TR – Turkey, Merter/Istanbul
Tel: +90 212 482 91 06 or 07

TW – Taiwan, Taipei
Tel: +886 2 2298 8987

UA – Ukraine, Kyiv
Tel +380 44 494 2731

UK – United Kingdom,
Barnstaple
Tel: +44 (0)1271 313131

US – USA, Cleveland
(Industrial)
Tel: +1 216 896 3000

US – USA, Lincolnshire
(Mobile)
Tel: +1 847 821 1500

US – USA, Miami
(Pan American Division)
Tel: +1 305 470 8800

VE – Venezuela, Caracas
Tel: +58 212 238 5422

ZA – South Africa,
Kempton Park
Tel: +27 (0)11 961 0700

