



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 1 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier : Coat-A Coil

Product Code(s) : CC20-C (P/N 475285)

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Engineered metal coating.

Restriction on use: None known

Refer to restrictions found in REACH Annex XVII item 48. Refer to restrictions found in REACH Annex XVII item 75.

1.3 Details of the supplier of the safety data sheet:

Parker Hannifin Corporation - Sporlan Division

206 Lange Drive
Washington, MO, U.S.A.
63090

Telephone : (636) 239 1111

1.4 Emergency Telephone Number

: Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

Poisons Information Centre
The United Kingdom NHS 111
France +33383852192
Germany +493018412-0
Spain +34917689800
Poland +48422538400
Italy

06 68593726 (CAV "Osp. Pediatrico Bambino Gesu" Dip. Emergenza - Roma) 800

183459 (Az. Osp. Univ. Foggia - Foggia)

081 5453333 (Az. Osp. "A. Cardarelli" - Napoli)

06 49978000 (CAV Policlinico "Umberto I" - Roma)

06 3054343 (CAV Policlinico "A. Gemelli" - Roma)

055 7947819 (Az. Osp. "Careggi" U.O. Tossicologia Medica - Firenze)

0382 24444 (CAV Centro Nazionale di Informazione Tossicologica - Pavia) 02

66101029 (Osp. Niguarda Ca' Granda - Milano)

800 883300 (Azienda Ospedaliera Papa Giovanni XXII - Bergamo)(636)-239-1111

1.5 National Contact

: +001 (636) 239 1111

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Aerosol spray. Blue liquid. Solvent odour.

This mixture is classified as hazardous in accordance with Regulation (EC) No 1272/2008. Classification :

Aerosols Category 1 ;H222, H229

Aspiration Toxicity - Category 1;H304

Skin Irritation - Category 2 ;H315

Serious eye damage/eye irritation - Category 2A ;H319

Reproductive toxicity - Category 2; H361fd

Specific target organ toxicity, single exposure - Category 3 (narcotic effects) ;H336

Specific Target Organ Toxicity, Repeated Exposure - Category 2 ;H373

Acute aquatic hazard - Category 2 ; H401

Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 2 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

2.2 Label elements

Hazard pictogram(s)



Hazardous components which must be listed on the label : Toluene

Signal word
Danger

Hazard statements

H222 Extremely flammable aerosol
H229 - Pressurized container: may burst if heated.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H350 H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.
H335 - May cause respiratory irritation.
H336 - May cause drowsiness or dizziness.
H401-Toxic to aquatic life.

Precautionary statements

P201 - Obtain special instructions before use.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking
P261 - Avoid breathing fumes, mists or vapours.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313 - IF exposed or concerned: Get medical advice/attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

2.3 Other hazards

Contact with liquid or refrigerated gas can cause cold burns and frostbite. May cause respiratory tract irritation.
Ingestion can cause gastrointestinal irritation, nausea, and diarrhea.

Endocrine disrupting properties: Not applicable.

PBT assessment

This mixture contains no substance(s) above reportable levels which are considered to be persistent, bioaccumulating nor toxic (PBT), or very persistent and very bioaccumulating (vPvB).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature :Mixture



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 3 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

Substance name	CAS No	EC No.	Reach Registration No.	% Weight	Classification according to Regulation (EC) nr. 1272/2008	SCL, M-factor, ATE
Toluene	108-88-3	203-625-9	Not available	70.0 - 80.0	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Repr. 2; H361d STOT RE 2; H373	Not applicable.
Liquefied petroleum gas	68476-85-7	270-704-2	Not available	10.0 - 20.0	Press. Gas H220; Muta. 1B H340 Carc. 1C; H350 Notes: K, U, S	Not applicable.

For the full text of the H phrases not mentioned in this Section or in Section 2, see Section 16.

SECTION 4. FIRST-AID MEASURES

4.1 Description of first aid measures

- Ingestion* : Call a physician or poison control centre immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. Keep warm and in a quiet place. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact* : Remove contaminated clothing. Wash contaminated area with soap and lukewarm (not hot), gently running water. Seek immediate medical attention/advice. Wash contaminated clothing before re-use.
- Eye contact* : Immediately flush eyes with running water for at least 15 minutes. Seek immediate medical attention/advice.

4.1.2 Self-protection for the first aider

- : Wear protective gloves and eye/face protection.

4.2 Most important symptoms and effects, both acute and delayed

- : Causes skin irritation. Symptoms may include redness, itching and swelling. Causes eye irritation. Symptoms may include stinging and tearing. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. Contact with liquid or refrigerated gas can cause cold burns and frostbite. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3 Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

- : Dry chemical, foam, carbon dioxide and water fog.



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 4 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

- : Contents under pressure. Containers may explode if heated. Do not pierce or burn, even after use. Aerosols are sensitive to mechanical impact.

5.3 Advice for firefighters

Protective equipment for fire-fighters

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Avoid spreading burning liquid with water spray used for cooling purposes. Shield personnel to protect from venting or rupturing containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Keep all other personnel upwind and away from the spill/release. Individuals involved in the cleanup must wear appropriate personal protective equipment. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

6.3 Methods and material for containment and cleaning up

- : Remove all sources of ignition. Ventilate area of release. Stop leak if you can do so without risk. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.

6.4 Reference to other sections

- : Refer to protective measures listed in sections 7 and 8. Refer to Section 13 for disposal of contaminated material.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with eyes, skin and clothing. Keep away from extreme heat and flame. Avoid contact with strong oxidizing agents. Always replace cap after use. Wash thoroughly after handling. Do not puncture or incinerate containers. Keep out of reach of children. Keep away from direct sunlight.

7.2 Conditions for safe storage, including any incompatibilities

- : Store in a cool, dry, well ventilated area, away from heat and ignition sources. Store locked up. Keep away from direct sunlight. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. No smoking in the area. Inspect periodically for damage or leaks.

7.3 Specific end use(s)

- : Metal coating

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 5 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

Exposure Limits:			
Chemical Name	Exposure Limits	Type	Notes
Toluene	50 ppm (192 mg/m ³) (TWA) 100 ppm (384 mg/m ³) (STEL)	European Union (OEL)	Possibility of significant uptake through the skin
	20 ppm (76.8 mg/m ³) (TWA) 100 ppm (384 mg/m ³) (STEL)	France (OEL)	Risk of cutaneous absorption
	50 ppm (190 mg/m ³) (exposure factor 4) (TWA)	Germany (OEL)	Skin notation
	50 ppm (192 mg/m ³) (TWA)	Italy (OEL)	Skin - Potential for cutaneous absorption
	100 mg/m ³ (TWA) 200 mg/m ³ (STEL)	Poland (OEL)	Skin notation
	50 ppm (192 mg/m ³) (TWA) 100 ppm (384 mg/m ³) (STEL)	Spain (OEL)	Skin - Potential for cutaneous absorption
	50 ppm (191 mg/m ³) (TWA) 100 ppm (384 mg/m ³) (STEL)	The United Kingdom (WELs)	Potential for cutaneous absorption
Liquefied petroleum gas	N/Av	European Union (OEL)	N/Av
	1000 ppm TWA; 1800 mg/m ³ TWA;	Ireland (OEL)	N/Av

Biological Exposure Indices:		
Chemical Name	Biological Exposure Indices	Type
Toluene	600 µg/L, Determinant: Toluene, Specimen: Blood	Germany. TRGS 903, BAT List (Biological Limit Values)
	1.5 mg/L, Determinant: o-Cresol (after hydrolysis), Specimen: Urine	France. Biological indicators of exposure (IBE) (National Institute for Research and Security (INRS, ND 2065))
	1 mg/L, Determinant: Toluene (semi-quantitative (ambiguous)), Specimen: Blood	
	2500 mg/g, Determinant: Hippuric acid (Background noise on non-exposed subjects, Non-specific (observed after the exposure to other subjects)), Specimen: Urine	Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4
	0.5 mg/L, Determinant: o-Cresol, Specimen: Urine	
1.6 g/g Creatinine, Determinant: Hippuric acid, Specimen: Urine		
	0.05 mg/L, Determinant: Toluene, Specimen: Blood	
No biological exposure limits noted for the ingredient(s).		



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 6 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

Derived No Effect Level (DNEL)
(108-88-3)

general population oral systemic effects long term exposure 8.13 mg/kg bw/day; general population inhalation systemic effects long term exposure 56.5 mg/m³; general population inhalation local effects long term exposure 56.5 mg/m³; workers inhalation systemic effects long term exposure 192 mg/m³; workers inhalation local effects long term exposure 192 mg/m³; general population inhalation systemic effects acute/short term exposure 226 mg/m³; general population inhalation local effects acute/short term exposure 226 mg/m³; general population dermal systemic effects long term exposure 226 mg/kg bw

Predicted No Effect Concentration (PNEC)

(108-88-8) 0.68 mg/L (freshwater); 0.68 mg/L (marine water); 0.68 mg/L (freshwater (intermittent releases)); 16.39 mg/kg (sediment (freshwater)); 16.39 mg/kg (sediment (marine water)); 13.61 mg/L (sewage treatment); 2.89 mg/kg (soil)

8.2 Exposure controls

Ventilation and engineering measures

: Do not use in closed or confined space. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

: Use NIOSH/MSHA approved full-face respirator with an organic vapour cartridge if the recommended exposure limit is exceeded. Advice should be sought from respiratory protection specialists.

Skin protection

: Solvent-resistant gloves. Advice should be sought from glove suppliers.

Eye / face protection

: Chemical splash goggles are recommended. See also EN 166.

Other protective equipment

: An eyewash station and safety shower should be made available in the immediate working area. Depending on conditions of use, an impervious apron should be worn. Remove and wash contaminated clothing before re-use.

General hygiene considerations

: Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

8.3 Environmental exposure controls

: Avoid release to the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	: Aerosol spray.
Colour	: blue
Odour	: Solvent odour.
Odour threshold	: Not available.
pH	: Not applicable.
Flash point	: 4.8°C
Flashpoint (Method)	: Not applicable.
Lower flammable limit (% by vol.)	: 1.2%
Upper flammable limit (% by vol.)	: 7.1%
Auto-ignition temperature	: 535 °C
Decomposition temperature	: Not available.
Oxidizing properties	: None known.



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 7 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

Explosive properties : May be sensitive to static discharge.

Initial boiling point and boiling range

: 110°C

Melting/Freezing point : 5.56°C

Relative density : Not available.

Solubility in water : Slightly soluble.

Other solubility(ies) : Not available.

Vapour pressure : Not available.

Vapour density : 3.14

Partition coefficient: n-octanol/water

: Not available.

Viscosity : Not available.

Evaporation rate (BuAe = 1)

: > 2

Particle characteristics : Not applicable.

9.2 Other Information

Volatiles (% by weight) : Not available.

Volatile organic Compounds (VOC's)

: Not available.

Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity : Not normally reactive.

10.2 Chemical stability : Material is stable under normal conditions.

10.3 Possibility of hazardous reactions

: Hazardous polymerization does not occur.

10.4 Conditions to avoid : Keep out of direct sunlight. Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Do not use in areas without adequate ventilation.

10.5 Incompatible materials

: Alkali metals; oxidizing agents; Bases; Reducing agents.

10.6 Hazardous decomposition products

: Carbon oxides; Hydrocarbons.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological effects:

Acute toxicity : According to the classification criteria of the European Union, this product is not considered as being an acutely toxic chemical.

Skin corrosion/Irritation : Causes skin irritation.

Serious eye damage/irritation

: Causes serious eye irritation.

Respiratory or skin sensitisation

: Not expected to be a skin or respiratory sensitizer.

Germ cell mutagenicity : According to the classification criteria of the European Union, the product is not considered as being a carcinogen.

Carcinogenicity : According to the classification criteria of the European Union, the product is not considered as being a carcinogen.



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 8 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

- Reproductive toxicity** : Reproductive toxicity - Category 2
- STOT-single exposure** : May cause drowsiness or dizziness. May cause respiratory irritation.
- STOT-repeated exposure** : May cause damage to the nervous system through prolonged or repeated exposure if inhaled.
- Aspiration hazard** : Aspiration hazard.
- Routes of exposure** : Inhalation Skin contact Eye contact Ingestion
- Effects of acute exposure** : Inhalation may cause headache, nausea and central nervous effects such as dizziness, coordination difficulties and unconsciousness. May cause respiratory irritation.

Causes skin irritation. Symptoms may include redness, itching and swelling. Contact with liquid can cause frostbite. Symptoms of frostbite may include numbness, prickling and itching.

Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis. Contact with liquid can cause frostbite. Symptoms of frostbite may include numbness, prickling and itching.

Ingestion Aspiration hazard. Aspiration may cause pulmonary oedema and pneumonitis.

Potential Chronic Health Effects

- : Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin. May cause liver and kidney damage.

11.1.1 Acute Toxicity

- Toxicological data** : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	LC₅₀(4hr) <u>inh, rat</u>	LD₅₀	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Toluene	7585 ppm (28.1 mg/L)	5580 mg/kg	12 125 mg/kg
Liquefied petroleum gas	276 000 ppm (Butane)	N/Ap (gas)	N/Ap (gas)

11.2 Information on other Hazards

- : CNS depression may result from extreme exposures.
- 11.2.1 Endocrine disrupting properties :Not applicable
- 11.2.2 Other hazards :Not applicable

SECTION 12. ECOLOGICAL INFORMATION

- 12.1 Toxicity** : Toxic to aquatic life. Do not allow material to contaminate ground water system. See the following tables for the substance's ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Toluene	108-88-3	5.4 mg/L (pink salmon)	1.4 - 4 mg/L	None.
Liquefied petroleum gas	68476-85-7	N/Ap	N/Ap	N/Ap



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 9 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

<u>Ingredients</u>	CAS No	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Toluene	108-88-3	3.78 mg/L (Daphnia magna)	0.53 - 1 mg/L	None.
Liquefied petroleum gas	68476-85-7	N/Ap	N/Ap	N/Ap

<u>Ingredients</u>	CAS No	<u>Toxicity to Algae</u>		
		<u>EC50 / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
Toluene	108-88-3	N/Av	10 mg/L/72hr (Green algae)	None.
Liquefied petroleum gas	68476-85-7	N/Ap	N/Ap	N/Ap

12.2 Persistence and degradability

: No data is available on the product itself.

12.3 Bioaccumulation potential

: No data is available on the product itself.

Components

Partition coefficient n-octanol/water (log Kow)

Bioconcentration factor (BCF)

Toluene (CAS 108-88-3)	2.65	
Liquefied petroleum gas (CAS 68476-85-7)	2.89 (Butane)	33 (Butane)

12.4 Mobility in soil : No data is available on the product itself.

12.5 Results of PBT and vPvB assessment

: This mixture contains no substance(s) above reportable levels which are considered to be persistent, bioaccumulating nor toxic (PBT), or very persistent and very bioaccumulating (vPvB).

12.6 Endocrine disrupting properties

: No data is available on the product itself.

12.7 Other Adverse Environmental effects

: No data is available on the product itself.

12.8 Additional information : Avoid release to the environment.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Handling for Disposal : Handle waste according to recommendations in Section 7. Do not puncture or incinerate containers.

Methods of Disposal : Improper disposal can cause damage to the environment. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Dispose of in accordance with the European Directives on waste and hazardous waste.

SECTION 14. TRANSPORTATION INFORMATION



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 10 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

Regulatory Information	14.1 UN Number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing Group	Label
ICAO/IATA	UN1950	Aerosol	2.1	none	
ICAO/IATA Additional information	Refer to the appropriate Packing Instruction, prior to shipping this material. Review all State and Operator Variations, prior to shipping this material.				
ADR/RID	UN1950	AEROSOLS	2.1	none	
EU ADR/RID Classification Code	5A - Aerosol dispensers and receptacles, small, containing gas (gas cartridges); Asphyxiant				
EU ADR / RID Hazard Identification Number	none				
ADR/RID Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass.				
IMDG	UN1950	AEROSOLS	2.1	none	
IMDG Additional information	Consult the IMDG regulations for exceptions. EmS No. F-D,S-U				

14.5 Environmental hazards : This product meets the criteria for an environmentally hazardous material according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

14.6 Special precautions for user

: Appropriate advice on safety must accompany the package.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 11 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

: This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended [including Regulation (EU) 2023/707]. Classification according to Regulation (EC) No. 1272/2008 on the classification of hazardous substances and mixtures.

Authorisations Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: Not applicable.

Restrictions on use

RoHS European Union's Directive 2002/95/EC, the Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) : Not applicable.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended Refer to restrictions found in REACH Annex XVII item 48. Refer to restrictions found in REACH Annex XVII item 75.

Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances: P3a FLAMMABLE AEROSOLS

Directive 94/33/EC on the protection of young people at work:
(CAS#108-88-3)

Directive 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work: (CAS# 108-88-3_

German legislation on water endangering substances AWSV -2-

15.2 Chemical safety assessment

: A chemical safety assessment has not been carried out by the Manufacturer of this product.

SECTION 16. OTHER INFORMATION

Legend : ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IATA: International Air Transport Association
IARC: International Agency for Research on Cancer
IMDG: International Maritime Dangerous Goods

Information Source : 1. Material Safety Data Sheet from manufacturer.
2. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases
3. European Chemicals Agency, Classification Legislation
4. OECD - The Global Portal to Information on Chemical Substances

Preparation Date (dd/mm/yyyy)

: 17/10/2024

Regulation and Procedure

:



Coat-A Coil

CC20-C

SDS Preparation Date (dd/mm/yyyy): 17/10/2024

Page 12 of 12

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended. This safety data sheet complies with the requirements of UK REACH Regulation.

Based on expert judgement:
 Extremely flammable aerosol
 Skin irritation
 Eye irritation
 Reproductive toxicity
 Specific target organ toxicity, single exposure
 Specific Target Organ Toxicity, Repeated Exposure.
 Aquatic toxicity
 H-phrases (full-text)

H229 - Pressurized container: may burst if heated.
 H280 - Contains gas under pressure; may explode if heated.
 H315 - Causes skin irritation.
 H319 - Causes serious eye irritation.
 H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child. H335 - May cause respiratory irritation.
 H336 - May cause drowsiness or dizziness.
 H373 - May cause damage to organs (a,b,c) through prolonged or repeated exposure.

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<p>Prepared for: Parker Hannifin Corporation - Sporlan Division 206 Lange Drive Washington, MO 63090 U.S.A Telephone:+001 (636) 239-1111 Direct all enquiries to: Parker Hannifin Corp. - Sporlan Division.</p>	
<p>Prepared by: ICC The Compliance Center Inc. http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Parker Hannifin Corp and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corp expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corp.

END OF DOCUMENT