
Tube clamps series B (Twin-tube clamps) – Components

DIN 3015, part 3

Order code for clamp halves:

Polypropylene – **RBP**
Inside smooth – **RBPG**
Polyamide 6 – **RBN**
Rubber – **RBVG**

(Please exchange standard abbreviation RBP in column for "clamp halves" as required.)



Width: 30 mm

clamp size	Tube O.D. mm	Tube NB	Tube O.D.	1 part 2 clamp halves[1] RBP… Order code	dimensions: b	c	d	e	weld plate APB… Order code	dimensions: g	m
1	6.0 6.4 8.0 9.5 10.0 12.0	G 1/8	1/4 5/16 3/8	**RBP106X** **RBP106.4X** **RBP108X** **RBP109.5X** **RBP110X** **RBP112X**	36	27	20	13.5	**APB1X**	37 Thickness: 3 mm	M6
2	12.7 13.5 14.0 15.0 16.0 17.2 18.0	G 1/4 G 3/8	1/2 5/8	**RBP212.7X** **RBP213.5X** **RBP214X** **RBP215X** **RBP216X** **RBP217.2X** **RBP218X**	53	26	29	13	**APB2X**	55 Thickness: 5 mm	M8
3	19.0 20.0 21.3 22.0 25.0	G 1/2	3/4 1	**RBP319X** **RBP320X** **RBP321.3X** **RBP322X** **RBP325X**	67	37	36	18.5	**APB3X**	70 Thickness: 5 mm	M8
4	26.9 28.0 30.0	G 3/4		**RBP426.9X** **RBP428X** **RBP430X**	82	42	45	21	**APB4X**	85 Thickness: 5 mm	M8
5	32.0 33.7 35.0 38.0 42.0	G 1 G 1 1/4	1 1/4 1 1/2	**RBP532X** **RBP533.7X** **RBP535X** **RBP538X** **RBP542X**	106	54	56	27	**APB5X**	110 Thickness: 5 mm	M8


Metal parts also available in stainless steel.
[1]) Twin-tube clamps with different outer tube diameters upon request.


T

Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark


Tube clamps series B (Twin-tube clamps) – Components

DIN 3015, part 3





1 or 2 mtr





clamp size	weld plate, angled			mounting rail		rail nut				
	APW A... Order code	dimensions: d	e	**TS...A/B** Order code	dimensions: h	**TM...A/B1** Order code	dimensions: a	b	c	m
1	**APRB1X (5 clamps)**	40	196	**TS11A/B1X TS11A/B2X TS14A/B1X TS14A/B2X TS30A/B1X TS30A/B2X**	TS11: 11 TS14: 14 TS30: 30	**TMA/TMB1VERZX**	25.4	10.4	12	M6
2	**APRB2X (5 clamps)**	58	288			**TMB2X**	25.4	10.4	12	M8
3	**APRB3X (5 clamps)**	72	358							
4	**APRB4X (5 clamps)**	90	446							
5	**APRB5X (5 clamps)**	112	558							


Thickness: 3 mm (1)
Thickness: 5 mm (2)
Thickness: 5 mm (3)
Thickness: 5 mm (4)
Thickness: 5 mm (5)


Tube clamps series B (Twin-tube clamps) – Components

DIN 3015, part 3









DIN 931/933


clamp size	cover plate			hexagonal head	
	DP B... Order code	dimensions: b	d	**SS B...** Order code	dimensions: d × L
1	**DPB1X**	34	6.6	**SSLA2/SSB1X**	M 06×35
2	**DPB2X**	51	8.6	**SSB2X**	M 08×35
3	**DPB3X**	64	8.6	**SSB3X**	M 08×45
4	**DPB4X**	78	8.6	**SSB4X**	M 08×50
5	**DPB5X**	102	8.6	**SSB5X**	M 08×60


Metal parts also available in stainless steel.


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark


Tube clamps series B (Twin-tube clamps) – Components

DIN 3015, part 3









clamp size	socket head		stacking					locking plate[1]		locking washer[2]		
	IS B… Order code	dimensions: d × L	**AS B…** Order code	dimensions: a	b	m	SW	**SB B…** Order code	dim.: SW	**US…** Order code	dimensions: a	b
1	**ISA4X (ISB1X)**	M 06×35	**ASA0X (ASB1X)**	20	34	M6	11	**SBB1X**	11	**USA/USB1X**	9	18
2	**ISB2X**	M 08×35	**ASB2X**	20	33	M8	12	**SBB2X**	12	**USB2X**	11	20
3	**ISB3X**	M 08×45	**ASB3X**	29	44	M8	12					
4	**ISB4X**	M 08×50	**ASB4X**	34	49	M8	12					
5	**ISB5X**	M 08×60	**ASB5X**	47	62	M8	12					

[1]) The use of stacking screws necessitates the use of locking plates in the construction assembly!
[2]) When assemblying solid rubber clamps, covering plates, he×agon screws and locking washers must be used.
Metal parts also available in stainless steel.

T


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series B – Complete range


Polypropylene – **RBP**
Inside smooth – **RBPG**
Polyamide 6 – **RBN**
Rubber – **RBVG***

(As required please exchange standard abbreviation RBP in column for "Order code")

2 clamp halves, weld plate, cover plate, hex. head bolt



2 clamp halves, weld plate, cover plate, socket head bolt



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
1	6.0			**RBP1–106**	**RBP3–106**
	6.4		1/4	**RBP1–106.4**	**RBP3–106.4**
	8.0		5/16	**RBP1–108**	**RBP3–108**
	9.5		3/8	**RBP1–109.5**	**RBP3–109.5**
	10.0	G 1/8		**RBP1–110**	**RBP3–110**
	12.0			**RBP1–112**	**RBP3–112**
2	12.7		1/2	**RBP1–212.7**	**RBP3–212.7**
	13.5	G 1/4		**RBP1–213.5**	**RBP3–213.5**
	14.0			**RBP1–214**	**RBP3–214**
	15.0			**RBP1–215**	**RBP3–215**
	16.0		5/8	**RBP1–216**	**RBP3–216**
	17.2	G 3/8		**RBP1–217.2**	**RBP3–217.2**
	18.0			**RBP1–218**	**RBP3–218**
3	19.0		3/4	**RBP1–319**	**RBP3–319**
	20.0			**RBP1–320**	**RBP3–320**
	21.3	G 1/2		**RBP1–321.3**	**RBP3–321.3**
	22.0			**RBP1–322**	**RBP3–322**
	25.0		1	**RBP1–325**	**RBP3–325**
4	26.9	G 3/4		**RBP1–426.9**	**RBP3–426.9**
	28.0			**RBP1–428**	**RBP3–428**
	30.0			**RBP1–430**	**RBP3–430**
5	32.0		1 1/4	**RBP1–532**	**RBP3–532**
	33.7	G 1		**RBP1–533.7**	**RBP3–533.7**
	35.0			**RBP1–535**	**RBP3–535**
	38.0		1 1/2	**RBP1–538**	**RBP3–538**
	42.0	G 1 1/4		**RBP1–542**	**RBP3–542**

Delivery in unassembled individual components.
*Only with cover plate, hexagon screws and locking washers.


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series B – Complete range


Polypropylene – **RBP**
Inside smooth – **RBPG**
Polyamide 6 – **RBN**
Rubber – **RBVG***

(As required please exchange standard abbreviation RBP in column for "Order code")


2 clamp halves, rail nut, cover plate, hex. head bolt



2 clamp halves, rail nut, cover plate, socket head bolt



2 clamp halves, locking plate, stacking bolt



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code	Order code
	6.0			**RBP4–106**	**RBP5–106**	**RBP8–106**
	6.4		1/4	**RBP4–106.4**	**RBP5–106.4**	**RBP8–106.4**
	8.0		5/16	**RBP4–108**	**RBP5–108**	**RBP8–108**
1	9.5		3/8	**RBP4–109.5**	**RBP5–109.5**	**RBP8–109.5**
	10.0	G 1/8		**RBP4–110**	**RBP5–110**	**RBP8–110**
	12.0			**RBP4–112**	**RBP5–112**	**RBP8–112**
	12.7		1/2	**RBP4–212.7**	**RBP5–212.7**	**RBP8–212.7**
	13.5	G 1/4		**RBP4–213.5**	**RBP5–213.5**	**RBP8–213.5**
	14.0			**RBP4–214**	**RBP5–214**	**RBP8–214**
2	15.0			**RBP4–215**	**RBP5–215**	**RBP8–215**
	16.0		5/8	**RBP4–216**	**RBP5–216**	**RBP8–216**
	17.2	G 3/8		**RBP4–217.2**	**RBP5–217.2**	**RBP8–217.2**
	18.0			**RBP4–218**	**RBP5–218**	**RBP8–218**
	19.0		3/4	**RBP4–319**	**RBP5–319**	**RBP8–319**
	20.0			**RBP4–320**	**RBP5–320**	**RBP8–320**
3	21.3	G 1/2		**RBP4–321.3**	**RBP5–321.3**	**RBP8–321.3**
	22.0			**RBP4–322**	**RBP5–322**	**RBP8–322**
	25.0		1	**RBP4–325**	**RBP5–325**	**RBP8–325**
	26.9	G 3/4		**RBP4–426.9**	**RBP5–426.9**	**RBP8–426.9**
4	28.0			**RBP4–428**	**RBP5–428**	**RBP8–428**
	30.0			**RBP4–430**	**RBP5–430**	**RBP8–430**
	32.0		1 1/4	**RBP4–532**	**RBP5–532**	**RBP8–532**
	33.7	G 1		**RBP4–533.7**	**RBP5–533.7**	**RBP8–533.7**
5	35.0			**RBP4–535**	**RBP5–535**	**RBP8–535**
	38.0		1 1/2	**RBP4–538**	**RBP5–538**	**RBP8–538**
	42.0	G 1 1/4		**RBP4–542**	**RBP5–542**	**RBP8–542**

Delivery in unassembled individual components.
*Only with cover plate, hexagon screws and locking washers.

T

Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark